











S.NO	NAME	SIZE	TOP LVL	CHILL
1	ED	5'-6" X 7'-0"	7'-0"	10"
2	D	5'-6" X 7'-0"	7'-0"	10"

S.NO.	NAME	SIZE	DOOR LVL	COL LVL
1	TD	3'-6" X 8'-0"	8'-0"	11'-0"
2	D1	3'-6" X 3'-0"	8'-0"	8'-0"
3	DD	3'-0" X 7'-0"	7'-0"	11'-0"
4	D2	3'-0" X 8'-0"	8'-0"	11'-0"
5	D3	2'-6" X 7'-0"	7'-0"	11'-0"
6	V1	1'-6" X 2'-0"	8'-0"	11'-0"
7	W6	1'-6" X 3'-6"	8'-0"	11'-0"
8	W9	2'-0" X 2'-0"	8'-0"	11'-0"
9	W7	4'-0" X 7'-0"	8'-0"	11'-0"

DOOR / WINDOW				
10.	D3/W1	3'-0" x 5'-0" X7'-8"	8'-0"	+4"
11.	D3/W2	3'-0" x 4'-5" X7'-8"	8'-0"	+4"
12.	D3/W3	3'-0" x 5'-0" X7'-8"	8'-0"	+4"
13.	D1/W4	3'-0" x 6'-0" X7'-8"	8'-0"	+4"
14.	D1/W5	3'-0" x 6'-0" x 4'-0" X6'-0"	10'-0"	+3'-0"
15.	D3/W6	3'-0" x 3'-0" X7'-8"	8'-0"	+4"

NOTE:-
-BUILDING IS FULLY SPRINKLED AS PER PROVISION OF NBC 2019.
-BUILDING IS VENTILATED WITH HVAC SYSTEM WITH 24 HOURS BACKUP.
-ALL WINDOWS HAVING ONE OPENABLE PANEL.



- ① Although success has been taken as other way, the building has
- ② as far as the main part of the idea of last, but the effect
- ③ It is for the any one to find the most possible
- ④ as an in the most possible way the most possible
- ⑤ the most possible way the most possible
- ⑥ the most possible way the most possible
- ⑦ the most possible way the most possible
- ⑧ the most possible way the most possible


44-38861-1076
 44-38861-1077
 44-38861-1078

Figure 1. Schematic diagram of the experimental setup.

[Download](#)

1. **NAME** _____

[illegible]




JOINERY SCHEDULE FOR 25th & 26th FLOOR

S.NO	NAME	SIZE	TOPVAL	COLL.V
1.	FD ₁	4-6"X8-10"	8-10"	±0"
2	FD ₂	11-12"X8-10"	8-10"	±0"
3.	FD ₃	13-15"X7-8"	7-10"	±0"
4.	FD ₄	13-15"X8-10"	8-10"	±0"
5.	FD ₅	2-6"X8-10"	7-10"	±0"
6.	WT ₁	1'-6"X2'-4"	3'-6"	±1'-6"
7.	WT ₂	1'-8"X3'-6"	8'-10"	±2'-3"
8.	WT ₃	2'-0"X3'-6"	8'-10"	±1'-6"
9.	WT ₄	4'-0"X4'-8"	11'-0"	±4"

DOOR WINDOW				
10.	D3/W1	5'-0" x 5'-0" 7'-8"	8'-0"	+0"
11.	D3/W2	5'-0" x 5'-0" 7'-8"	8'-0"	+1"
12.	D3/W3	5'-0" x 5'-0" 7'-8"	8'-0"	+0"
13.	D3/W4	5'-0" x 5'-0" 7'-8"	8'-0"	+1"
14.	D3/W5	5'-0" x 5'-0" 7'-8"	8'-0"	+1'-6"
15.	D3/W6	5'-0" x 5'-0" 7'-8"	8'-0"	+0"
16.	D3/W7	5'-0" x 5'-0" 7'-8"	8'-0"	+1"
17.	G1	8'-0" x 5'-0" 7'-8"	8'-0"	+2'-2"


NOTE:-
-BUILDING IS FULLY SPRINKLERED AS PER
PROVISION OF NBC 2015.
-BUILDING IS VENTILATED WITH HVAC SYSTEM
WITH 24 HOURS BACKUP.
-ALL WINDOWS HAVING ONE OPENABLE PANEL

[illegible]

968-0700

ER

[illegible]



JOINERY SCHEDULE FOR 2nd & 3rd FLOOR

S.NO	NAME	SIZE	TOP LVL	CEILING LVL
1.	DO	4'0" X 6'0"	0'-0"	10'-0"
2.	DO	3'0" X 4'0"	0'-0"	10'-0"
3.	DO	3'0" X 4'0"	0'-0"	10'-0"
4.	DO	3'0" X 6'0"	0'-0"	10'-0"
5.	DO	3'0" X 4'0"	0'-0"	10'-0"
6.	DO	3'0" X 4'0"	0'-0"	10'-0"
7.	DO	3'0" X 4'0"	0'-0"	10'-0"
8.	DO	3'0" X 4'0"	0'-0"	10'-0"
9.	DO	3'0" X 4'0"	0'-0"	10'-0"
10.	DO	3'0" X 4'0"	0'-0"	10'-0"
11.	DO	3'0" X 4'0"	0'-0"	10'-0"
12.	DO	3'0" X 4'0"	0'-0"	10'-0"
13.	DO	3'0" X 4'0"	0'-0"	10'-0"
14.	DO	3'0" X 4'0"	0'-0"	10'-0"
15.	DO	3'0" X 4'0"	0'-0"	10'-0"
16.	DO	3'0" X 4'0"	0'-0"	10'-0"
17.	DO	3'0" X 4'0"	0'-0"	10'-0"
18.	DO	3'0" X 4'0"	0'-0"	10'-0"
19.	DO	3'0" X 4'0"	0'-0"	10'-0"
20.	DO	3'0" X 4'0"	0'-0"	10'-0"

JOINERY SCHEDULE FOR MUMTY

S.NO	NAME	SIZE	TOP LVL	CEILING LVL
1.	DO	3'0" X 4'0"	0'-0"	10'-0"
2.	DO	3'0" X 4'0"	0'-0"	10'-0"

NOTE:
 - BUILDING IS FULLY SPRINKLED AS PER PROVISION OF NBC 2016.
 - BUILDING IS VENTILATED WITH HVAC SYSTEM WITH 24 HOURS BACKUP.
 - ALL WINDOWS HAVING ONE OPENABLE PANEL.


PROJECT:
 PROPOSED GROUP HOUSING,
 "HORIZON BELMONT" BY
 HORIZON BTR STRUCTURE & DEVELOPMENT PVT. LTD.
 SEC - 8, S.A.S. NAGAR


TITLE:
 BLOCK-2B (D-30) 2nd & 3rd FLOOR PLAN
 DUPLEX HOUSE CORNER FLOOR
 & TERRACE PLAN

DATE:
 27-03-2024


SCALE:
 NTS

DRS:
 NTS





25TH FLOOR AREA DIAGRAM
(DUPLEX HOUSE LOWER FLOOR)



26TH FLOOR AREA DIAGRAM
(DUPLEX HOUSE UPPER FLOOR)


23TH FLOOR (DUPLEX HOUSE LOWER FLOOR) AREA STATEMENT							
DESCRIPTION	(L)	(W)	(HOS.)				
AREA OF RECTANGLE - 01	18.000	X	3.125	X	3	=	43.750 sq.ft.
AREA OF RECTANGLE - 02	23.500	X	6.000	X	1	=	141.000 sq.ft.
AREA OF RECTANGLE - 03	4.250	X	1.875	X	2	=	15.938 sq.ft.
AREA OF RECTANGLE - 04	90.250	X	39.375	X	1	=	3553.594 sq.ft.
AREA OF RECTANGLE - 05	6.678	X	33.750	X	1	=	225.031 sq.ft.
AREA OF RECTANGLE - 06	6.500	X	33.750	X	1	=	218.875 sq.ft.
AREA OF RECTANGLE - 07	15.000	X	4.250	X	1	=	63.750 sq.ft.
AREA OF RECTANGLE - 08	8.250	X	1.750	X	1	=	14.438 sq.ft.
TOTAL						=	4283.875 sq.ft.
DEDUCTION AREA							
AREA OF DUCT-01	2.000	X	4.500	X	2	=	18.000 sq.ft.
AREA OF DUCT-02	3.125	X	1.500	X	2	=	9.375 sq.ft.
AREA OF DUCT-03	1.625	X	2.000	X	1	=	3.250 sq.ft.
AREA OF DUCT-04	2.500	X	3.000	X	1	=	5.000 sq.ft.
AREA OF DUCT-05	7.500	X	1.875	X	1	=	13.938 sq.ft.
AREA OF LIFT-11	9.625	X	9.750	X	3	=	28.344 sq.ft.
AREA OF LIFT-12	6.000	X	9.750	X	1	=	18.000 sq.ft.
AREA OF FIRE ESCAPE-01	12.500	X	24.625	X	1	=	307.813 sq.ft.
AREA OF FIRE ESCAPE-02	0.375	X	6.250	X	4	=	2.344 sq.ft.
AREA OF FIRE ESCAPE-03	9.000	X	19.125	X	1	=	172.125 sq.ft.
TOTAL						=	663.853 sq.ft.
TOTAL AREA OF 23TH FLOOR (DUPLEX HOUSE LOWER FLOOR)	4283.875		663.853			=	3620.023 sq.ft.

23TH FLOOR (DUPLEX HOUSE UPPER FLOOR) AREA STATEMENT							
DESCRIPTION	(L)	(W)	(HOS.)				
AREA OF RECTANGLE - 01	14.000	X	3.125	X	3	=	43.750 sq.ft.
AREA OF RECTANGLE - 02	25.725	X	6.000	X	1	=	154.350 sq.ft.
AREA OF RECTANGLE - 03	61.750	X	5.625	X	1	=	347.344 sq.ft.
AREA OF RECTANGLE - 04	56.250	X	17.250	X	1	=	969.375 sq.ft.
AREA OF RECTANGLE - 05	33.875	X	33.750	X	1	=	1143.000 sq.ft.
AREA OF RECTANGLE - 06	23.750	X	2.250	X	1	=	53.438 sq.ft.
AREA OF RECTANGLE - 07	13.000	X	9.375	X	1	=	121.875 sq.ft.
AREA OF RECTANGLE - 08	33.500	X	33.750	X	1	=	1130.625 sq.ft.
TOTAL						=	3631.250 sq.ft.
DEDUCTION AREA							
AREA OF DUCT-01	2.000	X	4.500	X	2	=	18.000 sq.ft.
AREA OF DUCT-02	1.625	X	2.000	X	1	=	3.250 sq.ft.
AREA OF DUCT-03	2.500	X	2.000	X	1	=	5.000 sq.ft.
AREA OF LIFT-11	7.625	X	9.750	X	1	=	74.344 sq.ft.
AREA OF LIFT-12	6.000	X	9.750	X	1	=	58.500 sq.ft.
AREA OF FIRE ESCAPE-01	12.500	X	24.625	X	1	=	307.813 sq.ft.
AREA OF FIRE ESCAPE-02	0.375	X	6.250	X	4	=	2.344 sq.ft.
AREA OF FIRE ESCAPE-03	9.000	X	19.125	X	1	=	172.125 sq.ft.
AREA OF CUT-OUT-01	20.000	X	12.000	X	2	=	480.000 sq.ft.
AREA OF CUT-OUT-02	5.000	X	8.375	X	2	=	83.750 sq.ft.
TOTAL						=	1210.125 sq.ft.
TOTAL AREA OF 23TH FLOOR (DUPLEX HOUSE UPPER FLOOR)	3631.250		1210.125			=	2421.125 sq.ft.
TOTAL AREA OF DUPLEX HOUSE	3620.023		2421.125			=	6041.148 sq.ft.


FRASATI:
HIGHLY SENSITIVE HOLDING
TECHNIQUE REVEALING BY
HORMONAL INFLUENCE OF THE
ENDOCRINE SYSTEM

TITLE:
 BLOCK 28 (S-28) mm
 28th & 20th FLOOR
 (CAMPUS HOUSE CAL) AREA DETAIL

Address:	City:
Business:	Business:
Phone:	Phone:
Fax:	Fax:
Website:	Website:
Scale:	Scale:



GROUND COVERAGE AREA DIAGRAM



STILT PARKING AREA DIAGRAM

GROUND COVERAGE AREA STATEMENT								
DESCRIPTION	(L)		(W)		(NO.S)		TOTAL	UNIT
AREA RECTANGLE - A	109.625	x	54.500	x	1	=	5974.563	sq.ft
DEDUCTION AREA								
AREA OF RECTANGLE - 01	6.000	x	14.750	x	1	=	88.500	sq.ft
AREA OF RECTANGLE - 02	9.375	x	9.125	x	1	=	29.297	sq.ft
AREA OF RECTANGLE - 03	6.000	x	6.000	x	1	=	36.000	sq.ft
AREA OF RECTANGLE - 04	2.625	x	1.750	x	2	=	9.188	sq.ft
	TOTAL					=	162.984	sq.ft
TOTAL AREA AFTER DEDUCTION	5974.563	-	162.984			=	5811.578	sq.ft

STILT PARKING AREA							
AREA OF RECTANGLE - 01	34.125	x	54.500	x	1	=	1859.813 sq.ft.
AREA OF RECTANGLE - 02	6.000	x	83.750	x	1	=	202.500 sq.ft.
AREA OF RECTANGLE - 03	10.375	x	20.000	x	1	=	207.500 sq.ft.
AREA OF RECTANGLE - 04	15.000	x	8.000	x	1	=	120.000 sq.ft.
AREA OF RECTANGLE - 05	4.125	x	21.125	x	1	=	87.141 sq.ft.
AREA OF RECTANGLE - 06	12.375	x	30.250	x	1	=	374.344 sq.ft.
AREA OF RECTANGLE - 07	27.625	x	54.500	x	2	=	1505.563 sq.ft.
AREA OF RECTANGLE - 08	12.500	x	3.125	x	2	=	39.063 sq.ft.
	TOTAL					=	4395.922 sq.ft.
DEDUCTION AREA							
DEDUCTION AREA DUCT- 01	2.750	x	4.250	x	1	=	11.688 sq.ft.
DEDUCTION AREA DUCT- 02	4.250	x	2.625	x	2	=	22.313 sq.ft.
	TOTAL					=	34.000 sq.ft.
AREA AFTER DEDUCTION	4395.922	-	34.00			=	4361.922 sq.ft.

Water Vapor Pressure

7 **10/10/2019**

27. FRANCESCO BATTISTA
 28. FRANCESCO BATTISTA
 29. FRANCESCO BATTISTA
 30. FRANCESCO BATTISTA

PROJECT:
PROPOSED GROUP HOUSING,
WOODEN BELMONT RD.
HOUSING IN A STRUCTURE'S DEVELOPMENT, 1971
REV. 88 / E.A.S. MAGAZINE

TITLE: WOOD-21 (S&S) SHIP
GROUND COVER AND
PILE PARKING AREA DIAGRAM


120

The "Coke" Gas

By J. H. ...

A + O'S Study
 800-222-0888, 11000 Aldenwood, Suite 100,
 Overland Park, KS 66204

SCALE NTS:




INNOVATION

[illegible]

विश्व जल संस्थान (विश्व जल संस्थान)
जल संस्थान, जल संस्थान, जल संस्थान

Date: 14/05/2022
 W.T: 14/05/2022
 W: 14/05/2022
 Time: 12:30

Short-Term Memory



Keywords: child sexual abuse; disclosure; self-blame

NOTE:-
-BUILDING IS FULLY SPRINKLED AS PER PROVISION OF NBC 2016.
-BUILDING IS VENTILATED WITH HVAC SYSTEM WITH 24 HOURS BACKUP.
-ALL WINDOWS HAVING ONE OPERABLE PANEL.

PROJECT:
PROPOSED TOWNHOUSE HOUSING
"TOWNHOUSE HOUSING" BY
HORIZON HIRA HOLDINGS & DEVELOPMENT PVT. LTD.
SEC - III, S.A.S. TOWN

1. The first step is to identify the problem. In this case, the problem is that the system is not working properly.

TITLE
BLOCKS (E-20) JIP-HC
FOUNDER W. D. GALT JR. (ILLINOIS)

OWNER	OWNER
PROJECT	PROJECT

A + D Studio
1000 1st St. N. Minneapolis, MN 55412
612-338-2811

1. The first step in the process is to identify the problem or issue that needs to be addressed. This involves gathering information and understanding the context of the problem.

SCALE: NTB	ERR: NO-40
------------	------------

